

# **MATERIAL SAFETY DATA SHEET**

#### **BENZENE**

### **Section 1: Chemical Product and Company Identification**

| Chemical Name :        | BENZENE |
|------------------------|---------|
| Hazardous Ingredients: | None    |

| Company Identification:             | Hazel Mercantile Limited                                   |
|-------------------------------------|--|
| Company Identification: (INDIA)     | Veritas House, 70 Mint Road, Fort, Mumbai - 400 001. INDIA |
| For information in the INDIA, call: | Tel: +91 - 22 - 2275 5555 / 6184 0000,                     |
|                                     | Fax: +91 - 22 - 2275 5556 / 6184 0001                      |

### **Section 2: Composition and Information on Ingredients**

#### Composition:

| Name CAS # % by Weight | Benzene 71-43-2 100 |
|------------------------|---------------------|
|------------------------|---------------------|

#### **Section 3: Hazards Identification**

| Potential Acute Health Effects: V   | /ery hazardous in case of eye contact (irritant), of inhalation.  |
|-------------------------------------|---|
| H<br>in                             | Hazardous in case of eye contact (infant), of infantion.  Hazardous in case of skin contact (irritant, permeator), of ngestion. Inflammation of the eye is characterized by redness, vatering, and itching.   |
| Potential Chronic Health Effects: C | CARCINOGENIC EFFECTS:   |
|                                     | Classified A1 (Confirmed for human.) by ACGIH, 1 (Proven for numan.) by IARC.   |
| N                                   | MUTAGENIC EFFECTS:  |
|                                     | Classified POSSIBLE for human. Mutagenic for mammalian comatic cells. Mutagenic for bacteria and/or yeast.  |
| Т                                   | TERATOGENIC EFFECTS:  |
| N                                   | Not available.  |
| D                                   | DEVELOPMENTAL TOXICITY:   |
| si<br>si<br>S                       | Classified Reproductive system/toxin/female [POSSIBLE]. The substance is toxic to blood, bone marrow, central nervous system (CNS). The substance may be toxic to liver, Urinary System. Repeated or prolonged exposure to the substance can produce target organs damage |



#### **Section 4: First Aid Measures**

| Eye Contact:          | Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. WARM water MUST be used. Get medical attention immediately.  |
|-----------------------|--|
| Skin Contact:         | In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention                                    |
| Serious Skin Contact: | Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical Attention   |
| Inhalation:           | If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms appear   |
| Serious Inhalation:   | Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention             |
| Ingestion:            | Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Serious Ingestion:    | Not available.   |

### **Section 5: Fire and Explosion Data**

| Flammability of the Product:                         | Flammable.   |
|--|--|
| Auto-Ignition Temperature:                           | 497.78°C (928°F)   |
| Flash Points:  | CLOSED CUP: -11.1°C (12°F). (Setaflash)  |
| Flammable Limits:                                    | LOWER: 1.2% UPPER: 7.8%  |
| Products of Combustion:                              | These products are carbon oxides (CO, CO2).  |
| Fire Hazards in Presence of Various Substances:      | Highly flammable in presence of open flames and sparks, of heat. Slightly flammable to flammable in presence of oxidizing materials. Non-flammable in presence of shocks.  |
| Explosion Hazards in Presence of Various Substances: | Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available. Explosive in presence of oxidizing materials, of acids. |
| Fire Fighting Media and Instructions:                | Flammable liquid, soluble or dispersed in water. SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use alcohol foam, water spray or fog.  |
| Special Remarks on Fire Hazards:                     | Extremely flammable liquid and vapor. Vapor may cause flash fire. Reacts on contact with iodine heptafluoride gas.   |



|                                       | Dioxygenyl tetrafluoroborate is as very powerful oxidant. The addition of a small particle to small samples of benzene, at ambient temperature, causes ignition. Contact with sodium peroxide with benzene causes ignition. Benzene ignites in contact with powdered chromic anhydride. Virgorous or incandescent reaction with hydrogen + Raney nickel (above 210 C) and bromine trifluoride.   |
|---------------------------------------|--|
| Special Remarks on Explosion Hazards: | Benzene vapors + chlorine and light causes explosion. Reacts explosively with bromine pentafluoride, chlorine, chlorine trifluoride, diborane, nitric acid, nitryl perchlorate, liquid oxygen, ozone, silver perchlorate. Benzene + pentafluoride and methoxide (from arsenic pentafluoride and potassium methoxide) in trichlorotrifluoroethane causes explosion. Interaction p. 3 of nitryl perchlorate with benzene gave a slight explosion and flash. The solution of permanganic acid (or its explosive anhydride, dimaganese heptoxide) produced by interaction of permanganates and sulfuric acid will explode on contact with benzene. Peroxodisulfuric acid is a very powerful oxidant. Uncontrolled contact with benzene may cause explosion. Mixtures of peroxomonsulfuric acid with benzene explodes |

### **Section 6: Accidental Release Measures**

| Small Spill: | Absorb with an inert material and put the spilled material in an appropriate waste disposal.  |
|--------------|---|
| Large Spill: | Flammable liquid. Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not touch spilled material. Prevent entry into sewers, basements or confined areas; dike if needed. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities |

### **Section 7: Handling and Storage**

| Precautions: | Keep locked up Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/vapor/spray. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as oxidizing agents, acids. |
|--------------|--|
| Storage:     | Store in a segregated and approved area. Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame).  |

### **Section 8: Exposure Controls/Personal Protection**



|   | threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.  |
|---|--|
| Personal Protection:                          | Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.   |
| Personal Protection in Case of a Large Spill: | Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product   |
| Exposure Limits:                              | TWA: 0.5 STEL: 2.5 (ppm) from ACGIH (TLV) [United States] TWA: 1.6 STEL: 8 (mg/m3) from ACGIH (TLV) [United States] TWA: 0.1 STEL: 1 from NIOSH TWA: 1 STEL: 5 (ppm) from OSHA (PEL) [United States] TWA: 10 (ppm) from OSHA (PEL) [United States] TWA: 3 (ppm) [United Kingdom (UK)] TWA: 1.6 (mg/m3) [United Kingdom (UK)] TWA: 1 (ppm) [Canada] TWA: 3.2 (mg/m3) [Canada] TWA: 0.5 (ppm) [Canada] Consult local authorities for acceptable exposure limits. |

### **Section 9: Physical and Chemical Properties**

| Physical state and appearance: | Liquid.   |
|--------------------------------|---|
| Odor:                          | Aromatic. Gasoline-like, rather pleasant. (Strong.)   |
| Taste:                         | Not available   |
| Molecular Weight:              | 78.11 g/mole,   |
|                                | p. 4  |
| Color:                         | Clear Colorless. Colorless to light yellow  |
| pH (1% soln/water):            | Not available   |
| Boiling Point:                 | 80.1 (176.2°F)  |
| Melting Point:                 | 5.5°C (41.9°F)  |
| Critical Temperature:          | 288.9°C (552°F)   |
| Specific Gravity:              | 0.8787 @ 15 C (Water = 1)   |
| Vapor Pressure:                | 10 kPa (@ 20°C)   |
| Vapor Density:                 | 2.8 (Air = 1)   |
| Volatility:                    | Not available.  |
| Odor Threshold:                | 4.68 ppm  |
| Water/Oil Dist. Coeff.:        | The product is more soluble in oil; log(oil/water) = 2.1  |
| Ionicity (in Water):           | Not available.  |
| Dispersion Properties:         | See solubility in water, diethyl ether, and acetone.  |
| Solubility:                    | Miscible in alcohol, chloroform, carbon disulfide oils, carbon tetrachloride, glacial acetic acid, diethyl ether, acetone. Very slightly soluble in cold water. |

Copyright © Groupe Veritas. All rights reserved.



### **Section 10: Stability and Reactivity Data**

| Stability:                               | The product is stable  |
|--|--|
| Instability Temperature:                 | Not available.   |
| Conditions of Instability:               | Heat, ignition sources, incompatibles.   |
| Incompatibility with various substances: | Highly reactive with oxidizing agents, acids.  |
| Corrosivity:                             | Non-corrosive in presence of glass.  |
| Special Remarks on Reactivity:           | Benzene vapors + chlorine and light causes explosion. Reacts explosively with bromine pentafluoride, chlorine, chlorine trifluoride, diborane, nitric acid, nitryl perchlorate, liquid oxygen, ozone, silver perchlorate. Benzene + pentafluoride and methoxide (from arsenic pentafluoride and potassium methoxide) in trichlorotrifluoroethane causes explosion. Interaction of nitryl perchlorate with benzene gave a slight explosion and flash. The solution of permanganic acid (or its explosive anhydride, dimaganese heptoxide) produced by interaction of permanganates and sulfuric acid will explode on contact with benzene. Peroxodisulfuric acid is a very powerful oxidant. Uncontrolled contact with benzene may cause explosion. Mixtures of peroxomonsulfuric acid with benzene explodes. |
| Special Remarks on Corrosivity:          | Not available.   |
| Polymerization:                          | Will not occur   |

### **Section 11: Toxicological Information**

| Routes of Entry:                        | Absorbed through skin. Dermal contact. Eye contact. Inhalation  |
|---|---|
| Toxicity to Animals:                    | WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute oral toxicity (LD50): 930 mg/kg [Rat]. Acute dermal toxicity (LD50): >9400 mg/kg [Rabbit]. Acute toxicity of the vapor (LC50): 10000 7 hours [Rat]. |
| Chronic Effects on Humans:              | p. 5 CARCINOGENIC EFFECTS: Classified A1 (Confirmed for human.) by ACGIH, 1 (Proven for human.) by IARC. MUTAGENIC EFFECTS: Classified POSSIBLE for human. Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast.        |
|   | DEVELOPMENTAL TOXICITY: Classified Reproductive system/toxin/female [POSSIBLE]. Causes damage to the following organs: blood, bone marrow, central nervous system (CNS). May cause damage to the following organs: liver, Urinary System.     |
| Other Toxic Effects on Humans:          | Very hazardous in case of inhalation. Hazardous in case of skin contact (irritant, permeator), of ingestion   |
| Special Remarks on Toxicity to Animals: | Not available.  |

Copyright © Groupe Veritas. All rights reserved.



| Special Remarks on Chronic Effects on Humans:     | May cause adverse reproductive effects (female fertility, Embryotoxic and/or foetotoxic in animal) and birth defects. May affect genetic material (mutagenic). May cause cancer (tumorigenic, leukemia)) Human: passes the placental barrier, detected in maternal milk.   |
|---|--|
| Special Remarks on other Toxic Effects on Humans: | Acute Potential Health Effects: Skin: Causes skin irritation. It can be absorbed through intact skin and affect the liver, blood, metabolism, and urinary system.  |
|   | Eyes: Causes eye irritation. Inhalation: Causes respiratory tract and mucous membrane irritation. Can be absorbed through the lungs.   |
|   | May affect behavior/Central and Peripheral nervous systems (somnolence, muscle weakness, general anesthetic, and other symptoms similar to ingestion), gastrointestinal tract (nausea), blood metabolism, urinary system.  |
|   | Ingestion: May be harmful if swallowed.  |
|   | May cause gastrointestinal tract irritation including vomiting.  |
|   | May affect behavior/Central and Peripheral nervous systems (convulsions, seizures, tremor, irritability, initial CNS stimulation followed by depression, loss of coordination, dizziness, headache, weakness, pallor, flushing), respiration (breathlessness and chest constriction), cardiovascular system, (shallow/rapid pulse), and blood. |
|   |  |

### **Section 12: Ecological Information**

| Ecotoxicity:                                       | Not available   |
|--|---|
| BOD5 and COD:                                      | Not available   |
| Products of Biodegradation:                        | Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise. |
| Toxicity of the Products of Biodegradation:        | The products of degradation are less toxic than the product itself.   |
| Special Remarks on the Products of Biodegradation: | Not available   |

### **Section 13: Disposal Considerations**

| Waste Disposal: | Waste must be disposed of in accordance with federal, state and |
|-----------------|---|
|                 | local environmental control regulations.                        |

### **Section 14: Transport Information**



| Identification:                   | Benzene UN# : 1114, PG: II |
|-----------------------------------|----------------------------|
| Special Provisions for Transport: | Not available              |

### **Section 15: Other Regulatory Information**

| California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer, birth defects or other reproductive harm, which would require a warning under the statute:  Benzene California prop. 65 (no significant risk level): Benzene: 0.007 mg/day (value) California prop. 65: This product contains the following ingredients p. 6 for which the State of California has found to cause cancer which would require a warning under the statute: Benzene  Connecticut carcinogen reporting list.: Benzene Connecticut hazardous material survey.: Benzene Illinois toxic substances disclosure to employee act: Benzene Illinois chemical safety act: Benzene New York release reporting list: Benzene Rhode Island RTK hazardous substances: Benzene Pennsylvania RTK: Benzene Minnesota: Benzene Michigan critical material: |
|---|
| Benzene Massachusetts RTK: Benzene Massachusetts spill list: Benzene New Jersey: Benzene New Jersey spill list:   |
| Benzene Louisiana spill reporting: Benzene California Director's list of Hazardous Substances: Benzene TSCA 8(b) inventory: Benzene SARA 313 toxic chemical notification and release reporting: Benzene CERCLA: Hazardous substances.: Benzene:  10 lbs. (4.536 kg)   |
| OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances   |
| CLASS B-2: Flammable liquid with a flash point lower than 37.8°C (100°F). CLASS D-2A: Material causing other toxic effects (VERY TOXIC).  |
| R11-Highly flammable. R22-Harmful if swallowed. R38- Irritating to skin. R41-Risk of serious damage to eyes. R45-May cause cancer. R62- Possible risk of impaired fertility. S2-Keep out of the reach of children. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S39- Wear eye/face protection. S46-If swallowed, seek medical advice immediately and show this container or label. S53- Avoid exposure-obtain special instructions before use.  |
|   |



#### **Section 16: Other Information**

| References:                   | Not available   |
|-------------------------------|-----------------|
| Other Special Considerations: | Not available   |
| Created:                      | August 21, 2007 |
| Last Updated:                 | July 25, 2015   |

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.